

A world map with a light beige and blue color scheme. Several small white squares are placed on the map, indicating specific locations: one in the Pacific Ocean near the Americas, one in the Indian Ocean near Africa, one in the South Pacific, and two in the Southeast Asian archipelago.

L6: 3D Geovisualisation, Virtual and Augmented Reality

Terminology

3D geovisualisation – visualising geospatial data in 3 dimensions

Virtual reality – 3D visualisation supported by special display devices and responsive equipment:

- the meaning is "artificial reality"? Not a good term - this could fit every "model" of the reality - even a map.
- 3D visualisation is **NOT** automatically virtual reality!



Virtual reality = 3D visualisation + immersion + interaction



Immersion – plunging/being present and entirely surrounded by the virtual environment.

A true virtual reality has 100% immersion:


– the observer has the feeling of being entirely inside and surrounded by the virtual environment

Augmented reality – the 3D model is projected/superimposed on the picture/model of the real world:



- you see a real picture + the virtual model at the same time
- used for mobile and ubiquitous computing - outdoor systems with vision based tracking

Examples


3D geovisualisation



3D geovisualisations –
 drapping a satellite
 image or a thematic map
 over a 3D visualisation
 of the terrain




Oblique view of digital elevation model (DEM) of Vienna Basin with draped geological information



Virtual reality






Augmented reality






Basic principles of 3D geovisualisation

Perception of **three independent geographic dimensions**




Perception of **three independent geographic dimensions**

Fence diagrams



Borehole distribution




**3D visualisation
in geology**

Solid 3D models




Wire-frame 3D
models



Perception of **two independent geographic dimensions and a space-related attribute**



perspective



Depth cues



occlusion

Shading + layered tints



Perception of **two independent geographic dimensions and a space-related attribute**

3D Surfaces



3D surface

Basic 3D structure



Draping over a thematic map or a raster surface

3D surface types

z=elevation/depth

z=time

z=another variable



- Population density
- Temperature
- Density of human activity
- River/stream flow
- Magnetic variation
- Etc.

Google Earth

<http://earth.google.com>



DEM + draped
satellite picture

Himalayas, The Alps

Satellite picture +
3D city model

New York

2D map vs. 3D geovisualisation


2D map:

- displays one or many slices of a 3D solid
- presents an unnatural ground plan with no or little depth cue
- offers a relatively unbiased overview and orientation
- allows a high degree of design freedom
- needs a legend
- demands high mental effort for symbol interpretation

3D geovisualisation:

- displays a 3D surface and/or its internal structure
- presents a natural view with one or many depth cues
- makes the estimation of distance and orientation difficult
- allows high degree of immersion
- does not always need a legend
- demands little mental effort for the understanding



Geometric primitives



Geometric 3D models

Surfaces

Wireframe models



Voxels = 3D pixels

Methods for producing 3D models

Laser scanning - LIDAR

Result: a 3D point cloud




3D models by ArcGIS 3D analyst (lab 8)

3D models from elevation data

draping
over


Satellite
images

thematic maps
(shape or raster)



Laser scanning – LIDAR = "light detection and ranging":

- measures distance from the laser to every point in the field of view
- does not produce a conventional camera image, but a 3D cloud of distance points



Characteristics of LIDAR

It has an **infinite depth of focus**

Accuracy in centimeter range

It is an **active scanning system**

It does not require external illumination
(measuring at night ok).

It is not affected by the sun.



Airborne Laser Terrain Mapping- ALTM DEM display of downtown Toronto by Optech & MDRobotics. Vertical resolution: 10 cm, horizontal: 30 cm.
~ 10^8 data points collected in a flight time of 30 minutes.



Differences between an image and a point cloud

Image: dependent on the external illumination, you can't see inside the window

Cloud: shows the "surface" of the scene, shadows are empty areas (no points), you can "see" inside the window.



MARS
exploration

LIDAR applications

Digital terrain mapping




Space and Atmospheric



Terrestrial (ALTM)



Imaging



Marine (Bathymetry)




Industrial Products

Lidar-based Autonomous Planetary Landing System – LAPS: 2001-2004



Finding a good place to land: avoiding obstacles.


Data can be processed on the spacecraft: no need to send images to Earth & back (takes too long for guiding a real-time landing procedure).



Stereoscopic visualisation – another way to show 3 dimensions

Monoscopic visualisation: one image only, 3D effect created either by the rotation/transformation effects on the display or by drawing the model in perspective.

Stereoscopic visualisation: 3D effect obtained by simultaneously projecting two displaced images, which are constructed by observing the scene from two separate viewing points.




2 types of stereoscopic visualisations

Anaglyphs

A moving or still picture consisting of two slightly different perspectives of the same subject in contrasting colors that are superimposed on each other, producing a three-dimensional effect when viewed through two correspondingly colored filters.



The observer has to wear special anaglyph glasses that shift the images together into 3D (Cosmonova style).




Stereograms

No glasses necessary.


A 3D image from two stereoscopic images hidden inside another image.




An anaglyphic image of Stockholm



An anaglyphic image of San Marino



An anaglyphic image of the Sun




A stereogram of a teacup



Tips on how to view 3D stereograms:

1. Pick a spot on the picture (the middle seems to work best) and just stare at it.
2. Allow your eyes to relax, don't just stare AT the image, try to stare THROUGH it, as if you were looking at some object far away behind the image. You'll notice your eyes will go slightly out of focus. This is normal.
3. Keep staring, don't give up, once you begin to see the first image, it gets much easier. 😊



Earth
(Mercator Projection of the Earth's Altitudes)

The image above is a stereogram containing elevation data for land above sea level and for the ocean floors. When the image is viewed properly, it presents the viewer with a three dimensional stereoscopic image. To view the image, either mount it in a frame or spread it out perfectly flat in an evenly lighted area. Stare through the image from a distance of about three or four feet and relax your eyes. The stereoscopic effect is generated by focusing each eye on a different part of the image, separated by about an one and a half inches. Some people see the image without immediately, while others may take several minutes before the image appears. Covering the image with glass often helps, allowing you to concentrate on your reflection, as if looking through a mirror. If viewed with crossed eyes, you will see a "depth negative" where the ocean floors are higher than the continents.

Infix Technologies
 PO Box 381
 Orem, UT 84057-0381
 USA

© Copyright 1993 Infix Technologies
 All Rights Reserved

This 10 to 1 reduction is freely distributable. Contact Infix Technologies for full resolution 18x24 inch prints. Call (801) 221-9233 or write to the above address.



What do you see here?

Virtual Reality - environments

Virtual reality = 3D visualisation + immersion + interaction

How to achieve immersion and interaction – **display environments**:

- **back and front projection**

Projecting images on screens of different shapes (dome, torus, cylinder)

Examples: the immersive workbench, the CAVE

- **head-mounted displays**

Projecting images on a screen that one wears in front of the eyes

Helmet displays, goggle stereoscopes (anaglyph glasses)

Problems: heavy, difficult communication with others (concealed eyes)

- **holographic screens**

Images projected as interference patterns on special screens

Problems: small screens, bad optics

- **volumetric imaging**

Display unit is a 3D matrix

- **lenticular screens**


Display unit: a large number of small lenses projecting different light rays on the screen. Use: reproducing stereoscopic images for multiple observers

Environment for a single user:

A head-mounted display + a navigation device (a computer mouse, a glove)



Environments for multiple users:




3D auditorium – a powerwall

A panorama



A CAVE – Cave Automatic Virtual Environment (5 or 6-sided)




VR cube at KTH:

<http://www.pdc.kth.se/projects/vr-cube/>

A dome





VR cube at KTH

A panorama display



Virtual reality

VRML – Virtual Reality Modelling Language

How are the 3D models described in computers? -> VRML models

VRML model = a world file = *.wrl



```
#VRML V1.0 ascii
```

```
Separator {  
  Separator {  
    Info {  
      string      "Created by DSA, Inc.  
contact: Dean Gonzalez phone: (719) 593-5974  
No redistribution restrictions."  
    }  
  }  
  Separator {  
    ShapeHints {  
      vertexOrdering      COUNTERCLOCKWISE  
      shapeType      SOLID  
      faceType      CONVEX  
    }  
  }  
  Separator {  
    Material {  
      ambientColor      0.004 0.06 0.24  
      diffuseColor      0.008 0.12 0.48  
      specularColor      0.5 0.5 0.8  
      shininess      1  
    }  
    Sphere {  
      radius      0.9989  
    }  
  }  
}
```

Earth.wrl -> an ascii
file with descriptions
for the 3D objects

Free VRML viewers:

Contact, Cortona, CosmoPlayer

<http://www.int3d.com/help/vrmlviewer.html>


An example: A 3D model of an island in Seychelles

<http://www.birdisland3d.com/>



Another example:
a virtual city - Ljubljana


http://www.ljubljana.si/en/ljubljana/virtual_ljubljana/default.html



Some applications of 3D visualisations, VR and AR:

Public participation in the planning process:

showing the public a 3D model of a planned site/city area instead of just paper plans



Education:

showing geological/geographical processes to school children

- Digital Earth



- an AR book for geology/volcanology
<http://www.hitlabnz.org>

